

Notice of Non-Response Amendment

The reply filed on 4/28/2008 is not fully responsive to the prior Office Action because of the following omission(s) or matter(s): Applicant has failed to properly respond to pending double patenting rejections, instead requesting that said rejections be held in abeyance.

A request for a double patenting rejection to be held in abeyance until allowable subject matter is indicated is not appropriate because resolving a double patenting rejection is necessary in order to further prosecution of the above-named application. See 37 CFR 1.111.

Since the above-mentioned reply appears to be *bona fide*, applicant is given **ONE (1) MONTH or THIRTY (30) DAYS** from the mailing date of this notice, whichever is longer, within which to supply the omission or correction in order to avoid abandonment. EXTENSIONS OF THIS TIME PERIOD MAY BE GRANTED UNDER 37 CFR 1.136(a).

Conclusion

Any inquiry concerning this communication or earlier communications from the examiner should be directed to JOHN M. FRINK whose telephone number is (571) 272-9686. The examiner can normally be reached on M-F 7:30AM - 5:00PM EST; off alternate Fridays.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Andrew Caldwell can be reached on (571) 272-3868. The fax phone

Art Unit: 2142

number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

John Frink

(571) 272 – 9686

/Andrew Caldwell/

Supervisory Patent Examiner, Art Unit 2142